

## Claim Amendments

1. (currently amended) A method of revealing an identity of a first electronic communication device, ~~the first electronic device configured to store data indicative of the identity in a wireless communication system for establishing a communication link between the communication device with a further communication device based on the identity of the communication device,~~ the communication device having means for outputting the identity in a perceptually noticeable form, said method comprising:

providing a signal in the first electronic communication device in response to an action on the first electronic communication device; and

~~outputting on said means~~ retrieving the stored data in the first electronic device, in response to the signal, for causing the identity of the first electronic device to be outputted in a perceptually noticeable form, so that the outputted identity can be used to establish ~~the~~ a wireless communication link between the first electronic device and a second electronic device.

2. (currently amended) The method of claim 1, wherein the action comprises powering up the first electronic communication device.

3. (currently amended) The method of claim 1, wherein the first electronic communication device comprises a displaying device, ~~and said outputting comprises for displaying on the displaying device~~ a visible message indicative of the identity.

4. (currently amended) The method of claim 1, wherein the first electronic communication device is operatively connected to a displaying device, ~~and said outputting comprises sending information indicative of the identity to the displaying device~~ so as to allow the displaying device to display a visible message indicative of the identity information.

5. (currently amended) The method of claim 1, wherein the first electronic communication device comprises a sound producing device, ~~and said outputting comprises for~~ announcing an audible message indicative of the identity on the sound producing device.

6. (currently amended) The method of claim 1, wherein the action comprises sending a communication signal from the ~~further~~ second electronic device ~~communication~~ device to said first electronic ~~communication~~ device.

7. (currently amended) The method of claim 1, wherein the first electronic ~~communication~~ device and the ~~further~~ second electronic ~~communication~~ device are Bluetooth devices.

8. (currently amended) The method of claim 1, wherein the first electronic ~~communication~~ device comprises a Bluetooth image receiver.

9. (currently amended) The method of claim 1, wherein the first electronic ~~communication~~ device comprises a Bluetooth ~~TV~~ television set.

10. (currently amended) The method of claim ~~[[5]]~~ 1, wherein the wireless communication link comprises an initial communication link for pairing the first electronic ~~communication~~ device with the ~~further~~ second electronic ~~communication~~ device, and wherein said outputting is carried out only if the wireless communication link is the initial communication link.

11. (currently amended) A method of establishing an initial communication link between a first ~~communication~~ electronic device and a second ~~communication~~ electronic device, the first ~~communication~~ electronic device having a device identity, the first electronic device configured for storing data indication of and means for outputting the device identity in a perceptually noticeable form, said method comprising:

retrieving the stored data in the first electronic device for causing outputting on said ~~means~~ the device identity of the first electronic device to be outputted in the perceptually noticeable form, in response to an action on the first ~~communication~~ electronic device; and

providing to the second ~~communication~~ electronic device information indicative of the outputted identity.

12. (currently amended) The method of claim 11, wherein the action comprising powering up the first ~~communication~~ electronic device.

13. (currently amended) The method of claim 11, wherein the action comprises sending a signal from the second ~~communication~~ electronic device to the first ~~communication~~ electronic device.

14. (currently amended) The method of claim 11, said information providing ~~is carried out~~ can be initiated by a user.

15. (currently amended) The method of claim 11, wherein the first ~~communication~~ electronic device comprises an image viewer.

16. (currently amended) The method of claim 11, wherein the first ~~communication~~ electronic device comprises an image receiver.

17. (currently amended) The method of claim 11, wherein the first ~~communication~~ electronic device comprises a Bluetooth ~~TV~~ television set.

18. (currently amended) The method of claim 11, wherein the first ~~communication~~ electronic device comprises a Bluetooth image displaying device.

19. (currently amended) The method of claim 11, wherein the first ~~communication~~ electronic device comprises a Bluetooth image receiver operatively connected to an image displaying device.

20. (currently amended) The method of claim 11, wherein the second ~~communication~~ electronic device comprises a mobile terminal.

21. (currently amended) An electronic ~~A communication~~ device having a device identity ~~in a wireless communication system, the wireless communication system comprising at least a further~~

~~communication device for communicating with the communication device~~, said ~~communication~~ electronic device comprising:

a storing device for storing data indicative of the device identity of the electronic device;  
and

an outputting device, operatively connected to the storing device, for providing information and causing the information to be outputted in a perceptually noticeable form indicative of the device identity ~~on said outputting device~~, so ~~as to allow a user to use that the~~ provided information can be used to establish an initial wireless communication link between the ~~communication~~ electronic device and ~~the further a different communication~~ electronic device.

22. (currently amended) The ~~communication~~ electronic device of claim 21, further comprising a displaying device ~~operatively connected to output device~~ for displaying a visible message indicative of the device identity.

23. (currently amended) The ~~communication~~ electronic device of claim 21, wherein the ~~output~~ outputting device is operatively connected to a displaying device for displaying a visible message indicative of the device identity ~~on the displaying device~~.

24. (currently amended) The ~~communication~~ electronic device of claim 21, comprising an image viewer.

25. (currently amended) The ~~communication~~ electronic device of claim 21, comprising an image receiver.

26. (currently amended) The ~~communication~~ electronic device of claim 21, comprising a Bluetooth image receiver operatively connected to a non-Bluetooth image display device.

27. (new) An electronic device having a device identity, comprising:

means for storing data indicative of the device identity of the electronic device; and

means, operatively connected to the storing device, for providing information and causing the information to be outputted in a perceptually noticeable form indicative of the device identity, so that the provided information can be used to establish an initial wireless communication link between the electronic device and a different electronic device.

28. (new) The electronic device of claim 27, wherein said providing means comprises means for displaying a visible message indicative of the device identity and wherein the different electronic device comprises a mobile terminal.